

TERMS

Terms	Definitions
AGL	Above Ground Level; towers are measured from ground level to their tip height.
AMPS	Advanced Mobile Phone System; It is the cellular standard that was developed for use in North America. This type of system operates in the 800 MHz frequency band.
AMSL	Above Mean Sea Level; Usually refers to
	terrain height with respect to sea level which is 0 ft.
Antennas	are passive elements that transfer or convert energy from one form to another. The purpose of an antenna is to convert radio frequency electric current to electromagnetic waves, which are then radiated into space
Area Availability	A statistical measurement of service quality level over entire cell coverage area under a specific traffic loading. The percentage of the service area covered all the time.
Azimuth	is the direction or orientation based on either True North or Magnetic North (True North is used in our tools).
Base Station	A piece of equipment used for communicating with mobile units. Depending on the context, the term Base Station may refer to a cell or a sector within a cell.
Beamwidth of an antenna	is defined as the angle subtended between the two half- power (3 dB) points on either side of the main lobe of transmission. The half- power points are symmetrical around the radius containing the peak of the main lobe.
CDMA	Code Division Multiple Access; It is an alternative digital standard developed in the United States.
Cell radius	distance from the cell center to the effective cell coverage. It helps determine the number of cell sites required to initially cover an entire market.
Center Frequency	The nominal frequency of a carrier wave.



1874 - 1874 - 1874 - 1874 - 1874 - 1874 - 1874 - 1874 - 1874 - 1874 - 1874 - 1874 - 1874 - 1874 - 1874 - 1874 -	
CF	<b>Correction Factor</b> ; A numerical value that is added to the propagation model to adjust it to reality. This is determined by drive testing and integrating the results to the model. It fine-tunes the tool for things such as trees, buildings and residential areas.
Coordinates	A pair of numbers that identifies a position relative to an axis. The Lat. and Long. are used to place the location on a map.
dBi	Is the ratio (in dB) of the antenna gain to the isotropic or perfect antenna.
dBm	Is the ratio (in dB) of power to one milliwatt.
Diversity	The method of combining two or more received signals to minimize the effects of path fading.
Diversity Gain	An advantage to receive the signal during fading on the antenna receiving the better signal at that time.
Downlink	Signal transmission from base station to mobile station, i.e. Forward Link.
Downtilt	When the main lobe or beam of an antenna is intentionally adjusted below the horizon. There are two types - electrical and mechanical. Electrical downtilt is tuning the elements inside the antenna to aim down. Mechanical downtilt is physically adjusting the entire antenna to aim down.
EIRP	<b>Effective Isotropic Radiated Power</b> ; The transmitted power multiplied by the antenna gain relative to an isotropic (perfect) antenna.
ERP	<b>Effective Radiated Power</b> ; Energy-wise, this is the power that comes out of an antenna. This dictates the cell coverage area.
FAA	Federal Aviation Administration; The organization responsible for the all the rules in airspace.
Fade Margin	is the breathing space added to ensure signals are received at the required area availability.
FCC	Federal Communications Commission; Responsible for the rules and regulations of frequencies.
Frequency	The number of occurrences within a given time period (usually 1 second)



Ground Elevation (GE)	The vertical distance from a datum, usually mean sea level, to a point or
Hand-off	object on the earth's surface. The process of transferring the mobile station that has a call in progress on a particular channel to another voice channel without interrupting the call. This normally happens between Base Stations.
K Factor	Ties in the relationship between the earth's curvature and the atmospheric conditions that can bend the electromagnetic wave or frequency being used.
Latitude (Lat)	A group of imaginary lines around the Earth parallel to the equator. The lines starts at 0 to 180 then back down with (-) numbers. They are split up in the N and S hemisphere.
Longitude (Long)	A group of imaginary lines on the surface of the earth passing through the north and south poles at right angles to the equator. The lines starts at 0 to 180 then back down with (-) numbers. They are split up in the E and W hemisphere.
Morphology	Characteristics and configuration and evolution of land areas
MOU	Minutes of Use, a measure of wireless traffic
NAD 27, 83	North American Datum 1927 and 1983 standards. NAD 27 is based on the survey the USGS did in 1927 and NAD 83 are the corrected surveys they did in 1983 (USGS 7.5" map coordinates are NAD 27 and the FAA requires NAD 83 coordinates).
PCN/PCS	Personal Communications Network / Personal Communications Services
Receiver Sensitivity	Is a measure of the receiver's ability to receive weak signals. Usually expressed in dBm.
RF	Radio Frequency; The electromagnetic frequencies in the range extending from below 3 KHz to 300 GHz, which includes radio and television transmission. These frequencies are above audio signals and below the frequencies of visible light.
RF Propagation	is the transfer of radio-frequency energy through space by the broadcast of
RX	electromagnetic signals. Receive, as in Receive antennas

Wireless Applications Corp. 16689 SE 59th Street Bellevue, WA 98006



Signal Threshold	The minimum intensity of a signal that can be detected and recognized
Traffic	The measurement of messages or voice calls transmitted on a communications system over a period of time.
TX Uplink	Transmit, as in Transmit power Signal transmission from mobile station to base station, i.e. Reverse Link.
USGS	United States Geological Survey - the people who produce maps of the U.S.



## References

- 1. Cellular System Design and Optimization by Clint Smith, P.E. and Curt Gervelis, McGraw-Hill, 1996
- 2. ARRL Antenna Handbook, 1997 Edition page 2-1
- 3. Mobile Cellular Telecommunications Second Edition by William C.Y. Lee, McGraw-Hill, 1995
- 4. Radio System Design For Telecommunications Second Edition by Roger L. Freeman, Wiley-Interscience Publications, 1997
- 5. RFPlan Wireless Modeling Tool Instruction Manual by Nucomm Inc., 1999
- 6. Wireless Communications Principles & Practice by Theodore S. Rappaport, IEEE Press, 1996.
- Celwave Product Section Guide v1.2 by Radio Frequency Systems Inc., 1999
- 8. OneLook Dictionaries at www.onelook.com